

Revision nr. 4 Dated 25/04/2015

PACK-C (color)

Printed on 25/04/2015 Page n. 1/7

		Safety data sheet	
SECTION 1. Ident	ification of the subs	tance/mixture and of the company/undertaking	
1.1. Product identifier Code: Product name		PACK-C (color)	
1.2. Relevant identified uses of the substance or mixture and uses advised against Intended use Water-based mixture of concentrated pigments for coloration of cementitious products			
1.3 Details of the supp Company name Address Place and country	lier of the safety data sheet	IDEAL WORK SRL Via Kennedy, 52 31030 Vallà di Riese Pio X (TV) Italy tel. 0423 /4535 fax 0423 /748429	
e-mail address for a comp responsible for the safety		sicurezza@idealwork.it	
1.4 Emergency telepho For information in an eme		Poison center: National Poisons Information Service (Birmingham Unit) City Hospital Dudley Rd Birmingham Telephone: +44 121 507 4123 Fax: +44 121 507 55 88 Emergency telephone: 844 892 0111	
SECTION 2. Haza	rds identification.		
supplements). However, sir data sheet with appropriate	d as hazardous pursuant to ice the product contains haza information, compliant to EC	the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and ardous substances in concentrations such as to be declared in section no. 3, it requires a safety Regulation 1907/2006 and subsequent amendments.	
Hazard classification and in		•	
2.2. Label elements. Hazard pictograms:			
Signal words:			
Hazard statements:			
EUH208	Contains: Mixture of: 5-chloro-2-methy	vl-2H-isothiazol-3-one; 2-methyl-2H-isothiazol-3-one	
	May produce an allergic rea	ction.	
Precautionary statements:			
Safety data sheet available	for professional users on requ	uest.	
2.3. Other hazards. Information not available.			

ideal	1
Idoal	l
WUKK	

3.1. Substances. Information not relevant.

3.2. Mixtures. Contains:

SECTION 3. Composition/information on ingredients.

IDEAL WORK

Dated 25/04/2015

Printed on 25/04/2015 Page n. 2/7

PACK-C (color)

Identification. Conc. %. Classification 67/548/EEC. Classification 1272/2008 (CLP). Mixture of: 5-chloro-2-methyl-2H-isothiazol-3one; 2-methyl-2H-isothiazol-3-one 0,00015 - 0,0015 T R23/24/25, C R34, Xi R43, N R50/53 Acute Tox. 3 H301, Acute Tox. 3 H311, Acute Tox. CAS. 55965-84-9 3 H331, Skin Corr. 1B H314, Skin Sens. 1 H317 Aquatic Acute 1 H400 M=1, Aquatic Chronic 1 H410 FUH208 FC. -INDEX. 613-167-00-5 Note: Upper limit is not included into the range. The full wording of the Risk (R) and hazard (H) phrases is given in section 16 of the sheet. T+ = Very Toxic(T+), T = Toxic(T), Xn = Harmful(Xn), C = Corrosive(C), Xi = Irritant(Xi), O = Oxidizing(O), E = Explosive(E), F+ = Extremely Flammable(F+), F = Highly Flammable(F), N = Dangerous for the Environment(N) **SECTION 4. First aid measures.** 4.1. Description of first aid measures. EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention. SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention. INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorised by a doctor INHALATION: Get medical advice/attention immediately. Remove victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue workers. 4.2. Most important symptoms and effects, both acute and delayed. For symptoms and effects caused by the contained substances, see chap. 11. 4.3. Indication of any immediate medical attention and special treatment needed. Information not available. SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Do not breathe combustion products.

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.



Printed on 25/04/2015

PACK-C (color)

Page n. 3/7

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store in a well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Information not available.

8.2. Exposure controls.

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration.

When choosing personal protective equipment, ask your chemical substance supplier for advice.

Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION

Protect hands with category III work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

SKIN PROTECTION

Wear category I professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

EYE PROTECTION

Wear airtight protective goggles (see standard EN 166).

RESPIRATORY PROTECTION

If the threshold value (e.g. TLV-TWA) is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class (1, 2 or 3) must be chosen according to the limit of use concentration. (see standard EN 14387). In the presence of gases or vapours of various kinds and/or gases or vapours containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required.

Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited. If the substance considered is odourless or its olfactory threshold is higher than the corresponding TLV-TWA and in the case of an emergency, wear

open-circuit compressed air breathing apparatus (in compliance with standard EN 137) or external air-intake breathing apparatus (in compliance with standard EN 138). For a correct choice of respiratory protection device, see standard EN 529.

ENVIRONMENTAL EXPOSURE CONTROLS.

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards



Revision nr. 4 Dated 25/04/2015

PACK-C (color)

Printed on 25/04/2015 Page n. 4/7

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

5.1. Information on basic physical and	chennear properties.
Appearance	liquid
Colour	as showed in color folder
Odour	characteristic
Odour threshold.	Not available.
pH.	7
Melting point / freezing point.	> 0 °C.
Initial boiling point.	100 °C.
Boiling range.	Not applicable.
Flash point.	> 60 °C.
Evaporation Rate	Not available.
Flammability of solids and gases	not applicable
Lower inflammability limit.	Not applicable.
Upper inflammability limit.	Not applicable.
Lower explosive limit.	Not applicable.
Upper explosive limit.	Not applicable.
Vapour pressure.	2338,54 Pa
Vapour density	<1
Relative density.	1,10 - 1,90
Solubility	Miscibile in acqua
Partition coefficient: n-octanol/water	<0
Auto-ignition temperature.	Not applicable.
Decomposition temperature.	Not available.
Viscosity	1000 - 6000 mPas al collaudo
Explosive properties	not applicable
Oxidising properties	Not available.
9.2. Other information.	
Solid content.	50,00 %

Solid content.	50,00 %	
VOC (Directive 1999/13/EC) :	9,69 % - 145,28	g/litre.
VOC (volatile carbon) :	4,60 % - 69,01	g/litre.
Proprietà esplosive	NA	

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

The vapours may also form explosive mixtures with the air.

10.4. Conditions to avoid.

Avoid overheating. Avoid bunching of electrostatic charges. Avoid all sources of ignition.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

In the event of thermal decomposition or fire, gases and vapours that are potentially dangerous to health may be released.

SECTION 11. Toxicological information.

11.1. Information on toxicological effects.

In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.



Revision nr. 4

Dated 25/04/2015

PACK-C (color)

Printed on 25/04/2015 Page n. 5/7

SECTION 12. Ecological information.

No specific data are available for this product. Handle it according to good working practices. Avoid littering. Do not contaminate soil, sewers and waterways. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation. Please take all the proper measures to reduce harmful effects on aquifers.

12.1. Toxicity.

Information not available.

12.2. Persistence and degradability.

Information not available.

12.3. Bioaccumulative potential.

Information not available.

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Avoid littering. Do not contaminate soil, sewers and waterways. CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso category. None. Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006. None.

Substances in Candidate List (Art. 59 REACH). None.

Substances subject to authorisarion (Annex XIV REACH). None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012: None.

Substances subject to the Rotterdam Convention: None.

Substances subject to the Stockholm Convention: None.

Healthcare controls.



Dated 25/04/2015

PACK-C (color)

Printed on 25/04/2015 Page n. 6/7

Information not available.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

H301	Toxic if swallowed.		
H311	Toxic in contact with skin.		
H331	Toxic if inhaled.		
H314	Causes severe skin burns and eye damage.		
H317	May cause an allergic skin reaction.		
H400	Very toxic to aquatic life.		
H410	Very toxic to aquatic life with long lasting effects.		
EUH208	Contains <name of="" sensitising="" substance="">. May produce an allergic reaction.</name>		
Text of risk (R) phrases mentioned in section 2-3 of the sheet:			
R23/24/25	TOXIC BY INHALATION, IN CONTACT WITH SKIN AND IF SWALLOWED.		
R34	CAUSES BURNS.		
R43	MAY CAUSE SENSITISATION BY SKIN CONTACT.		
R50/53	VERY TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT.		

LEGEND:

- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

- 1. Directive 1999/45/EC and following amendments
- 2. Directive 67/548/EEC and following amendments and adjustments
- 3. Regulation (EC) 1907/2006 (REACH) of the European Parliament
- 4. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 5. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- 6. Regulation (EC) 453/2010 of the European Parliament
- 7. Regulation (EC) 286/2011 (II Atp. CLP) of the European Parliament

⁻ ADR: European Agreement concerning the carriage of Dangerous goods by Road



Revision nr. 4

Dated 25/04/2015

Printed on 25/04/2015 Page n. 7/7

PACK-C (color)

8. Regulation (EC) 618/2012 (III Atp. CLP) of the European Parliament

9. The Merck Index. - 10th Edition

10. Handling Chemical Safety

11. Niosh - Registry of Toxic Effects of Chemical Substances

INRS - Fiche Toxicologique (toxicological sheet)
Patty - Industrial Hygiene and Toxicology

14. N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition

15. ECHA website

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.

Changes to previous review:

The following sections were modified: 09.